



## Multi - Purpose Electric Sightseeing Bus 11 Seater with a Cargo Box Tourist Coach

Our Product Introduction

for more products please visit us on [electrictouristcar.com](http://electrictouristcar.com)

### Basic Information

- Place of Origin: Guangzhou
- Brand Name: Langking
- Certification: CE
- Model Number: Y110B
- Minimum Order Quantity: 1 Unit
- Price: Negotiate
- Packaging Details: Non packing Or Steel Packing
- Payment Terms: T/T
- Supply Ability: 100Units/ month



### Product Specification

- HS CODE: 8703101900
- Qty/20'GP (Assembled): 1 Unit
- Qty/40'GP (Assembled): 2 Units
- Passenger Capacity: 11 Seats
- Max.Speed: 40km/h
- Range(loaded): 100km
- Climbing Ability(loaded): 15%
- Recharge Time: 8~10h
- Highlight: electric shuttle bus



### More Images



## Product Description

### Multi - Purpose Electric Sightseeing Bus 11 Seater with a Cargo Box Tourist Coach

Model **LQY110B** is a 11 Passenger Electric Shuttle Tour Bus, it is the second generation electric mini bus of ours. It has aluminum hard door. It's an ideal shuttle for using in hotel, resort, residential community, airport, port, stations, museum, theme park, historic town, zoo, factory, campus, garden and any places where need a quite and clean vehicles, for people moving. It can also be used as public bus.

#### Model LQY110B Electric Shuttle Bus 11 seats Specifications :

|                          |                                                                                                                                                                         |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| HS CODE                  | 8703101900                                                                                                                                                              |
| Qty/20'GP (Assembled)    | 1 unit                                                                                                                                                                  |
| Qty/40'GP (Assembled)    | 2 units                                                                                                                                                                 |
| Passenger capacity       | 11 seats                                                                                                                                                                |
| Max.Speed                | 40km/h                                                                                                                                                                  |
| Range(loaded)            | 100km                                                                                                                                                                   |
| Climbing Ability(loaded) | 20%                                                                                                                                                                     |
| Braking Distance         | ≤4.5m                                                                                                                                                                   |
| Min.Turning Radius       | 5.7m                                                                                                                                                                    |
| Min.Clearance            | 150mm                                                                                                                                                                   |
| Recharge time            | 8~10h                                                                                                                                                                   |
| L×W×H                    | 4615×1520×1970mm                                                                                                                                                        |
| F/R Tread                | 1280/1270mm                                                                                                                                                             |
| Axle Distance            | 2650mm                                                                                                                                                                  |
| Curb Weight              | 1230kg                                                                                                                                                                  |
| Max. loading             | 880kg                                                                                                                                                                   |
| Motor                    | 72V/5KW DC motor                                                                                                                                                        |
| Controller               | Curtis 72V/400A controller                                                                                                                                              |
| Battery                  | Maintenance-free battery 6V/170Ah*12pcs                                                                                                                                 |
| Body & Roof              | High impact fiber glass                                                                                                                                                 |
| Windshield               | See-through Laminated glass                                                                                                                                             |
| Seats                    | Sponge + artificial leather                                                                                                                                             |
| Rear view mirror         | 2pcs                                                                                                                                                                    |
| Bumper                   | Front and rear Bumper                                                                                                                                                   |
| Tire                     | 155/80 R12 Radial tire (Auto tire)                                                                                                                                      |
| Chassis                  | Welded tubular steel with rust-proof powder coated paint                                                                                                                |
| Steering                 | Power-Assisted Steering                                                                                                                                                 |
| Front Suspension         | The MacPherson Strut suspension system, coil spring+shock absorber                                                                                                      |
| Rear suspension          | Leaf spring+shock absorber non-independent suspension                                                                                                                   |
| Sound system             | Radio and MP3 player; Speaker                                                                                                                                           |
| Brake system             | 4-wheel hydraulic drum brake system + handbrake                                                                                                                         |
| Charger                  | Automatic high efficiency pulse, Output:72V/25A, Input AC 220V/50HZ                                                                                                     |
| Dashboard                | Voltmeter, speedometer, ammeter,odometer, turn signal indicator, headlight indicator, emergency switch, Headlight switch, turn signal switch, wiper switch, horn button |
| Color Option             | White, Grey, Navy, Red, Khaki, Purple, Green etc.                                                                                                                       |

#### Product Showing:



### Product Application:

\* Golf Course, Hotel, Campus, Park, Airport, Tourist Resorts, Museum, Mountain Area, Wedding Place and so on.

Model **Y110B** is a Small Electric **Shuttle Bus with a Cargo Box**. It's an ideal shuttle for using in hotel, resort, residential community, airport, port, stations, museum, theme park, historic town, zoo, factory, campus, garden and any places where need a quite and clean vehicles, for moving tourist and cargos.

### 10 Categories 100 models for different applications

We have 10 different categories and more than 100 models for different applications, golf cart, utility cart, personal carrier, sightseeing car, electric truck, garbage truck, fire truck, etc. Moreover, we customize electric vehicles as per customer's request at reasonable cost, short lead time and high quality.

### FAQ:

1. What's your warranty time?

All Langking vehicles sold by us are quality guaranteed.

We provide 1 year warranty for main parts to our electric vehicles when you get them.

2. What's the production time?

Normally for 30 working days.

3. What's your payment term?

T/T 30% deposit and the balance payment paid before shipment.

4. Can we also purchase the parts?

Yes, if you do maintainance service, you can also buy parts from us. We are the professional for the aftersales.



**Guangzhou Langjie Electric Vehicle Co., Ltd.**



8619898299923



langjie99@hotmail.com



electrictouristcar.com

DONGCHONG TOWN, NANSHA DISTRICT, GUANGZHOU, CHINA