



## Battery Operated Electric Passenger Bus Curties Controller 300A

Our Product Introduction

### Basic Information

- Place of Origin: Guangzhou China
- Brand Name: LANGJIE
- Certification: CE
- Model Number: D11A
- Minimum Order Quantity: 1 Unit
- Price: Negotiate
- Packaging Details: Non packing Or Steel Packing
- Delivery Time: 25 working day
- Payment Terms: T/T
- Supply Ability: 100Units/ month



### Product Specification

- Part Name: Electric Shuttle Bus
- Qty/20'GP (Assembled): 1 Unit
- Qty/40'GP (Assembled): 2 Units
- Passenger Capacity: 11Seats
- Max.Speed: 30 Km/h
- Range(loaded): 80km
- Climbing Ability(loaded): 20%
- Recharge Time: 8~10h
- Highlight: electric tourist vehicles



for more products please visit us on [electrictouristcar.com](http://electrictouristcar.com)

## Product Description

### Battery Operated Electric Passenger Bus Curties Controller 300A

#### Product Advantages of Model Y081A Electric Shuttle Bus 8 Seats

1. Good aftersale-service, as most parts are manufactured by ourselves;
2. Has CE certificate for whole carts.
3. Brake system: Rear wheel Mechanical Drum Brake
4. Option parts: Full enclosure weather curtains; Split Windshield; 10" Alloy rim and tyre; Rear & Side mirror; Different colors and option parts;
5. Good hill climbing ability, the system allows you to customize the car to fit your course;
6. Smart steering system, easy to make forward and backward;
7. Good climbing ability and can park easily on Hills;
8. Can be easily to be modified to **Shuttle Bus**.

#### Model Y081A Specifications :

Passenger capacity	8 seats
Max.Speed	28km/h
Range(loaded)	80km
Climbing Ability(loaded)	18%
Braking Distance	≤4m
Min.Turning Radius	4m
Min.Clearance	150mm
Recharge time	8~10h

#### Dimensions:

L×W×H	3860×1430×1940mm
F/R Tread	1210/1200mm
Axle Distance	1935mm
Curb Weight	830kg
Max. loading	640kg

#### Standard Configurations:

Motor	48V/3KW DC motor
Controller	48V
Battery	Maintenance-free battery 6V/170Ah*8pcs
Body & Roof	High impact fiber glass
Windshield	See-through Laminated glass
Seats	Sponge + artificial leather
Rear view mirror	2pcs
Bumper	Front and rear Bumper
Tire	155/80 R12 Radial tire (Auto tire)
Chassis	Welded tubular steel with rust-proof powder coated paint
Steering	Single reduction rack and pinion
Front Suspension	The MacPherson Strut suspension system, coil spring+shock absorber
Rear suspension	Leaf spring+shock absorber non-independent suspension
Lighting system	2 headlights, 2 front turn signals, 2 rear turn signals and 2 rear brake lights
Sound system	Radio and MP3 player; Speaker
Brake system	4-wheel hydraulic drum brake system + handbrake
Charger	Automatic high efficiency pulse, Output:48V/25A, Input AC 110/220V, 50-60HZ
Dashboard	Voltmeter, ammeter, turn signal indicator, headlight indicator, emergency switch, Headlight switch, turn signal switch, wiper switch, horn button
Color Option	White, Grey, Navy, Red, Khaki, Purple, Green etc.

#### Product Showing:



### Application:

It's an ideal shuttle for using in hotel, resort, residential community, airport, port, stations, museum, theme park, historic town, zoo, factory, campus, garden and any places where need a quite and clean vehicles, for people moving.

### FAQ:

1.What is your MOQ?

You can order MOQ 1 unit .

2.Can we put the Logo we designed on the vehicle?

Yes, you can put your own Logo on the vehicle where you like.

3.How do you make our business long-term and good relationship?

1). We keep good quality and competitive price to ensure our customers benefit ;

2). We respect every customer as our friend and we sincerely do business and make friends with them,no matter where they come from.

5.How about the dealer?

If you can sell to get the quantity about 100-200pcs in a year,then the next year,we will sign exclusive dealer with you and prosime never sold to your dealer area.Great to do business with you and your good choice.



**Guangzhou Langjie Electric Vehicle Co., Ltd.**



8619898299923



langjie99@hotmail.com



electrictouristcar.com

DONGCHONG TOWN, NANSHA DISTRICT, GUANGZHOU, CHINA