



Guangzhou Langjie Electric Vehicle Co., Ltd.
electrictouristcar.com



8 Seats Electric Passenger Bus 48V/5KW Bus Seat With Bucket AC Motor Controller

Our Product Introduction

for more products please visit us on electrictouristcar.com

Basic Information

- Place of Origin: CHINA
- Brand Name: LANGJIE
- Certification: CE
- Model Number: D8A
- Minimum Order Quantity: 1 UNIT
- Packaging Details: NUDE PACKING
- Delivery Time: 20-25 WORKING DAY
- Payment Terms: T/T
- Supply Ability: 300 Units/ month



Product Specification

- Part Name: Electric Sightseeing Car
- Max.Speed: 30km/h
- Range(loaded): 70km
- Climbing Ability(loaded): 20%
- Braking Distance: ≤5m
- HS CODE: 8703101900
- Highlight: electric tourist vehicles



Product Description

ELECTRIC SHUTTLE BUS MODEL D8A bus seat with bucket using resort/school/park

Electric sightseeing car that can handle the tough jobs while going easy on the turf. Electric sightseeing car has the hauling power you would not expect from an electric vehicle

As a manufacturer of this filed for many years, we have been concentrating on quality control all the time. We're a more reliable partner.

This type of electric cart is becoming more and more popular, and we're selling very well over the country.

Feather of electric cart:

1 Type sofa chair, comfortable

2 Efficient special driving axle

3.HS CODE :8703101900

Detail:

HS CODE	8703101900
Qty/20'GP (Assembled)	1 unit
Qty/40' GP(Assembled)	2 units
Specifications	
Performance:	
Passenger capacity	8 seats
Range(loaded)	70km
Max.Speed	≤30m/h
Climbing Ability(loaded)	≤20%
Braking Distance	≤5m
Min.Turning Radius	≤4.5m
Recharge time	8~10h
Dimensions	
LxWxH	3900*1510*2120mm
Axle Distance	2020mm
Vehicle Weight	995kg
Max. loading	680kg

Standard Configurations	
Motor	48V/5 KW AC motor
Controller	48V
Battery	Maintenance-free battery 6V/170Ah*8pcs
Body & Roof	The high-strength composite material body (PP composite material injection-molded front hood) has excellent impact resistance./Enhanced composite material and aluminum alloy frame; lightweight, resistant to aging, and not prone to fading.
Windshield	See-through Laminated glass
Seats	PU car seat, ergonomic, adjustable structure for driver's seat.
Rear view mirror	2pcs
Bumper	Rear Bumper
Tire	Vacuum radial tire 165/70R13, steel rim
Chassis	High-strength steel frame longitudinal beam chassis with electrophoresis and powder coating rust prevention treatment
Steering	Double rack and pinion steering with electric power assist system
Front Suspension	Front MacPherson independent suspension with coil springs and telescopic hydraulic shock absorbers
Rear suspension	Integral rear axle with leaf springs and telescopic hydraulic shock absorbers
Lighting system	LED headlights, fog lights, turn signals, taillights, horn, reversing beeper
Brake system	Front ventilated disc rear drum hydraulic dual-circuit braking system with handbrake parking, equipped with vacuum-assisted brakes
Charger	Intelligent high-frequency vehicle charger. Input voltage 220V, output 48V/25A.

Dashboard

Injection-molded dashboard with a combination switch, electric lock switch, emergency power-off switch, and a multifunctional LCD display (showing indicators for voltage, battery level, speed, mileage, and an entertainment playback system). It also includes USB/Type-C ports, storage compartments, and a cup holder.

Picture



Application:

Golf Course,Hotel,Campus,Park,Airport,Tourist Resorts,Museum,Mountain Area,Wedding Place and so on.

FAQ:

1.What is your MOQ?

You can order MOQ 1 unit .

2.Can we put the Logo we designed on the cart?

Yes, you can put your own Logo on the cart.

3. How do you make our business long-term and good relationship?

1). We keep good quality and competitive price to ensure our customers benefit ;

2). We respect every customer as our friend and we sincerely do business and make friends with them,no matter where they come from.



Guangzhou Langjie Electric Vehicle Co., Ltd.



8619898299923



langjie99@hotmail.com



electrictouristcar.com

DONGCHONG TOWN, NANSHA DISTRICT, GUANGZHOU, CHINA