

Guangzhou China

LANGJIE

Negotiate

Nude packing

20-25 working day

300 Units/ month

CE

T/T

D11A

72V 7.5KW University Electric Tourist Car 11 Seats Battery 6v*12pcs For Tourist Car Hire

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 unit
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

• Part Name: Electric Shuttle Bus 6V*12PCS • Battery: 72V • Motor: • Range: 100km 30 Km/h • Max. Speed: • Climbing Ability(loaded): 20% • Recharge Time: 8-10h Curb Weight: 1200kg • Highlight: electric tourist vehicles



Our Product Introduction

Hot sales Electric shuttle bus min bus school electric car 8 seats for university

Specficiations :

Specificiations.		
8703101900		
1 unit		
2 units		
11 seats		
100km		
≤30m/h		
≤20%		
≤6m		
≤6.5m		
8~10h		
Dimensions		
4650*1510*2120mm		
2770mm		
1200kg		
935kg		

Standard Configurations		
Motor	72V/7.5 KW AC motor	
Controller	72V	
Battery	Maintenance-free battery 6V/170Ah*12pcs	
Body & Roof	The high-strength composite material body (PP composite material injection-molded front hood) has excellent impact resistance./Enhanced composite material and aluminum alloy frame; lightweight, resistant to aging, and not prone to fading.	
Windshield	See-through Laminated glass	
Seats	PU car seat, ergonomic, adjustable structure for driver's seat.	
Rear view mirror	2pcs	
Bumper	Rear Bumper	
Tire	Vacuum radial tire 165/70R13, steel rim	
Chassis	High-strength steel frame longitudinal beam chassis with electrophoresis and powder coating rust prevention treatment	
Steering	Double rack and pinion steering with electric power assist system	
Front Suspension	Front MacPherson independent suspension with coil springs and telescopic hydraulic shock absorbers	
Rear suspension	Integral rear axle with leaf springs and telescopic hydraulic shock absorbers	
Lighting system	LED headlights, fog lights, turn signals, taillights, horn, reversing beeper	
Brake system	Front ventilated disc rear drum hydraulic dual-circuit braking system with handbrake parking, equipped with vacuum-assisted brakes	
Charger	Intelligent high-frequency vehicle charger. Input voltage 220V, output 72V/25A.	
Dashboard	Injection-molded dashboard with a combination switch, electric lock switch, emergency power-off switch, and a multifunctional LCD display (showing indicators for voltage, battery level, speed, mileage, and an entertainment playback system). It also includes USB/Type-C ports, storage compartments, and a cup holder.	

Showing Photos :



FAQ

Q1. Do you provide after service spare parts? Answer: Yes, we provide all the spare parts to our vehicles, even we stop the production of the vehicle. For your easier working to select the spare parts, we also supply parts manual.

Answer: Yes, we provide technical support by email and phone.

