

GUANGZHOU, CHINA

LANGJIE

F090 2 SEATS

NUDE PACKING

300/UNIT/MONTH

20-25 WORKING DAY

Negotiated

CE

T/T

## 0.9 Ton Loading Capacity 2 Person Electric Mini Truck With Roof 5KW **Powerful Motor Left Hand Drive**

### **Basic Information**

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 1 UNIT
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



### **Product Specification**

- Part Name: COLOR: • SEAT: • Max.Speed:
  - Electric Freight Car WHITE 2 SEATS WITH ROOF 25km/h 70km 20%

 Braking Distance: • Recharge Time:

• Climbing Ability(loaded):

• Range(loaded):

- Highlight:
- ≤4.5m 8~10h
- electric tourist vehicles



**Our Product Introduction** 

### **Product Description**

# White color 0.9 Ton Loading Capacity 5KW Powerful Motor Left Hand Drive Electric Mini Truck 5 persons with roof

## Description

н	
s	
C	8709119000
p	
P	
HSCODEQ ty 2 ° G P	
Q	
ty	
2	
0.	
G	
ĥ	1 units
L.	
s	
e	
( A s e m	
bl	
e	
d)	
bl e d) Q ty /4 0 G P	
ty	
h <sup>4</sup>	
ľ	
P	
İ	
( A s s e	2 units
s	
s	
e	
m	
bl e d)	
e	
d)	 
S	pecifications
SI Pe	pecifications erformance:
SI Pe	pecifications
S P P a s s e s	pecifications erformance:
S P P a s s e s	pecifications erformance:
S P P a s s e s	pecifications erformance:
S P P a s s e s	pecifications erformance:
S P P a s s e s	pecifications erformance:
S P P a s s e s	pecifications erformance:
S P P a s s e s	pecifications erformance:
S P P a s s e s	pecifications erformance:
S P P a s s e s	pecifications erformance:
S P P a s s e n g e c a p a c ty	pecifications erformance: 2 seats
S P P a s s e n g e c a p a c ty	pecifications erformance: 2 seats
S P P a s s e n g e c a p a c ty	pecifications erformance: 2 seats
S P P a s s e n g e c a p a c ty	pecifications erformance: 2 seats
S P P a s s e n g e c a p a c ty	pecifications erformance: 2 seats
S P P a s s e n g e c a p a c ty	pecifications erformance: 2 seats
S P P a s s e n g e c a p a c ty	pecifications erformance: 2 seats
S P P a s s e s	pecifications erformance: 2 seats
S P P a s s e n g e c a p a c ty	pecifications erformance: 2 seats
S P P a s s e n g e c a p a c ty	pecifications erformance: 2 seats
S P P a s s e n g e c a p a c ty	pecifications erformance: 2 seats
S P P a s s e n g e c a p a c ty	pecifications erformance: 2 seats
S P P a s s e n g e c a p a c ty	pecifications erformance: 2 seats
S P P a s s e n g e c a p a c ty	pecifications erformance: 2 seats
S P P a s s e n g e c a p a c ty	pecifications erformance: 2 seats

**Our Product Introduction** 

for more products please visit us on electrictouristcar.com

-	
R	(70km 
a	
n	
g	
e Io	\70km
d	
Ľ	
d	
C	
i	
ľ	
b	
n	
a	
Ă	
b	20%
lit	
y	
lo	
a	
d	
e	
d	
B	
ra	l l
KI	
Р	20% i≤4.5m
a	
n	
c	
e	
lin	
in .T	
u	r
n	
n	5m
g	
R	
a	
a	
u	
F	
ĥ	5m
a	 /8~10b
a	r8~10h
ĕ	
ti	
m	
e	
Þ	imensions
E	
M	/4080*1560*2010mm
×	
H	i 1960mm
A	
x	
e	
P	
s	1960mm
a	
n	
a n c e	
P	

C ur	
b	
w	
ei	
	950kg
g ht	
9 5	
0	
Μ	
a	
X.	
lo	900 kg
a	
di	
n	
g	
	andard Configurations
Μ	
ot	48V/5KW AC motor
or	
С	
þ	
nt	48V controller
ro	
11	
er	
В	
at	Free-maintenance Batteries 6V/170Ah*8 pcs
te	100  manifold   00  balloto  0.07  from 0 pts   100  manifold   100  ma
ry	
В	High strength composite body (PT+PBT alloy injection molding hood),
o d	with super anti-collision function.
d	with super anti-consistent function.
y S	PU car seat, in line with the principle of ergonomics, the driving
e	position can be adjusted
at	
s	
R	
e	
ar	
vi	
e	2pcs
e w	2pcs
	2pcs
w	2pcs
w m	2pcs
w m irr or	
w irr or Ti	
w irr or Ti re	
w irr or Ti re C	
w irr or Ti re C h	Vacuum meridian tire 165/70R13, steel rim with rim cover.
w irr or Ti re C h a	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic
w irr or Ti re C h a	Vacuum meridian tire 165/70R13, steel rim with rim cover.
w m irr or Ti e C h a s si	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment.
w m irr or Ti e C h a s si	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment.
w m irr or Ti re C h a s is s St	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment.
w m irr or Ti re C h a s is s St e	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment.
w m irr or Ti re C h a s is s St e er	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment.
w m irr or Ti re C h a s is s St e er in	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment.
w m irr or Ti re C h a s is s St e er in g	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment.
w m irr or Freich a s is s St e e in g Fr	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment.
w m irr or Ti re C h a s is s lot e er in g Fr o	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment.
w m irr or II re C h a s is s lS e e in g IF o nt	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment.
w m irr o l r e C h a s is s s e e in g F o t S	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment.
w m irr o l i r e l C h a s is s l S e e in g l F o t S u	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment. Gear rack steering + electric steering assist system.
w m irr o l i r e l C h a s is s l S e e in g l F o t S u	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment.
w m irr o l i r e l C h a s is s l S e e in g l F o t S u	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment. Gear rack steering + electric steering assist system.
w m irr o Fi e C h a s is s of e e in g F o t S u c	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment. Gear rack steering + electric steering assist system.
w m irr o li r e lo h a s is s li e e in g li t o t S u s p e n	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment. Gear rack steering + electric steering assist system.
w m irr o li r e lo h a s is s lõ e e in g li o t s u s p e	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment. Gear rack steering + electric steering assist system.
♥ ㅌ ir ㅎ i	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment. Gear rack steering + electric steering assist system.
ਅ ਜ਼ਾਂਨਾ  ਂ ਦਿ   ਟ h a s is s ਕਿ e ਦੇ in ਤਾਸਿ o ਜ ਨ u s p e n is o	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment. Gear rack steering + electric steering assist system.
ਅ ਜ਼ਾਂਨਾ  ਂ ਦਿ   ਟ h a s is s ਕਿ e ਦੇ in ਤਾਸਿ o ਜ ਨ u s p e n is o	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment. Gear rack steering + electric steering assist system.
ਅ ਜ਼ਾਂਨਾ  ਂ ਦਿ   ਟ h a s is s ਕਿ e ਦੇ in ਤਾਸਿ o ਜ ਨ u s p e n is o	Vacuum meridian tire 165/70R13, steel rim with rim cover. High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment. Gear rack steering + electric steering assist system.

R e ar s u s p e n si o n	Integrated rear axle, steel spring + cylinder hydraulic shock absorber.
B ra k e s y st e m	The front disc hydraulic double circuit brake + handbrake parking, with vacuum assisted brake system.
g er	Intelligent high-frequency on-board charger, input voltage AC220V output DC48V/25A.
h b o ar d	Injection molding dashboard, with combination switch, electric lock switch, emergency power off switch, multi-function LCD display (including voltage, electricity, speed mileage and other instrument indicators and entertainment playback system), equipped with USB/Type-C interface, storage box, water cup seat
C ol or O pt io n	White, Grey, Navy, Red, Khaki, Purple, Green etc.

### Showing Photos:



### **Product Advantages**

- Good aftersale-service, as most parts are manufactured by ourselves;
   Has CE certificate for whole carts.
- 3. Brake system: Rear wheel Mechanical Drum Brake
- 4. Option parts:Full enclosure weather curtains;Split Windshield; 10"Alloy rim and tyre; Rear&Side mirror; Different colors and

option parts;

- 5. Good hill climbing ability, the system allows you to customize the car to fit your course;
- 6. Smart steering system, easy to make forward and backward;
- 7. Good climbing ablity and can park easily on Hills;
- 8. Can be easily to be modified to Towing Tractor.

#### FAQ:

1. What's your payment term?

T/T 30% deposit and balance paid before shipment.

2. Can we also purchase the parts

Yes, if you do maintainess service, you can also buy parts from us. We are the profeesional for the aftersales,

3. How do you provide after-sales once customer bought the cart from us? Once you purchase the cart from us,then i will provide you manual to learn it and tell you how to fix it.

	Guangzh	iou Langjie Electric Vel	nicle Co., Ltd.
3	8619898299923 🕑 lan	ngjie99@hotmail.com	electrictouristcar.com
	DONGCHONG TOWN, N	IANSHA DISTRICT, GUANGZH	IOU, CHINA