electrictouristcar.com

2 Seats Electric Cargo Vehicle AC Motor 48V Electric Cargo Vehicle With Roof For park

Basic Information

• Place of Origin: GUANGZHOU ,CHINA

Brand Name: LANGJIECertification: CE

Model Number: F093 2 SEATS WITH ROOF

Minimum Order Quantity: 1 UNIT
 Price: Negotiated
 Packaging Details: NUDE PACKING
 Delivery Time: 20-25 WORKING DYA

Payment Terms: T/T

• Supply Ability: 300/unit/month



Product Specification

Part Name: Electric Freight Car

Qty/20'GP (Assembled): 1 UnitQty/40'GP (Assembled): 2 Units

Passenger Capacity: 2 Seats With Roof

Max.Speed: 25 Km/h
Range(loaded): 70km
Climbing Ability(loaded): 20 %
Braking Distance: ≤4.5m

• Highlight: electric utility carts



Product Description

900KG Small Electric Cargo Van Airport Luggage Cart 5 Seats With CE Certificate electric freight car with roof

Electric cargo vehicle use batteries to generate power, environmental pollution, efficient use of resources. It has a personalized control system, steering flexible, comfortable, lightweight and smooth driving easy. Power can be recycled, long life. Currently tourist vehicles are widely used in hotels, resorts, car sales showings, factories, airports, railway stations, bus stations, docks, stadiums, parks and other places.

Main Technical Parameters

Specification:

HSCODE	8709119000
Q ty/2 0' G P (A s s e m bl e d)	8709119000 1 units 2 units Decifications
Qty/40'GP (Assembed)	2 units
Sr	necifications
D	erformance:
P	
assenger capacity	2 seats 25 km/h
M a x S p e e d	25 km/h

Range(loaded)Ci	
	20% i≤4.5m
Braking Distance M	i≤4.5m
in .T ur n gR a di u	5m
m e	ĺ8∼10h
L ×	/4080*1560*2010mm
Axle Distance	i 1960mm
	1

C ur	
b W	
ei g ht	950kg
ու 9	
9 5 0	
M a	
x. lo	900 kg
a di	
n g	
St M	andard Configurations
ot or	48V/5KW AC motor
C	
	48V controller
II	
er B	
	Free-maintenance Batteries 6V/170Ah*8 pcs
ry B o d y S e at	High strength composite body (PT+PBT alloy injection molding hood),
o d	with super anti-collision function.
y S	PU car seat, in line with the principle of ergonomics, the driving
e at	position can be adjusted
s R	
e ar	
vi	2pcs
w m	
irr or	
Ti re	Vacuum meridian tire 165/70R13, steel rim with rim cover.
C h	
a	High strength steel structure frame longitudinal beam chassis, electrophoretic + spray powder anti-rust treatment.
si si	T Spray powder anti-rust treatment.
St	
	Gear rack steering + electric steering assist system.
in g	
Fr o	
nt S	
u s	Front McPherson independent suspension, spiral spring + cylinder hydraulic shock absorber.
р e	Total Mor horson independent suspension, spiral spirity + cylinder flydraulic shlock absoluer.
n si	
o n	
'	

R e ar s u s p e n si o n	Integrated rear axle, steel spring + cylinder hydraulic shock absorber.
B k e s y st e m	The front disc hydraulic double circuit brake + handbrake parking, with vacuum assisted brake system.
C h ar g er	
b o ar d	Injection molding dashboard, with combination switch, electric lock switch, emergency power off switch, multi-function LCD display (including voltage, electricity, speed mileage and other instrument indicators and entertainment playback system), equipped with USB/Type-C interface, storage box, water cup seat
C ol or O pt io n	White, Grey, Navy, Red, Khaki, Purple, Green etc.

PHOTO:





Application:

* Golf Course, Hotel, Campus, Park, Airport, Tourist Resorts, Museum, Mountain Area, Wedding Place and so on.

FAQ:

1. What's your payment term?

T/T 30% deposit and balance paid before shipment.

2. Can we also purchase the parts

Yes,if you do maintainess service,you can also buy parts from us.We are the profeesional for the aftersales,

3. How do you provide after-sales once customer bought the cart from us?

Once you purchase the cart from us,then i will provide you manual to learn it and tell you how to fix it.



8619898299923

langjie99@hotmail.com



electrictouristcar.com

DONGCHONG TOWN, NANSHA DISTRICT, GUANGZHOU, CHINA