

# 2 seats Electric Luggage Cart With Comfortable Chair AC motor 5KW for Hotel

### **Basic Information**

Place of Origin: CHINA
Brand Name: LANGJIE
Certification: CE

Model Number: LQF093A With hydraulic tail plate

• Minimum Order Quantity: 1 UNIT

Price: NEGOTIATED
 Packaging Details: NUDE PACKING
 Delivery Time: 20-25 WORKING DAY

• Payment Terms: T/T

• Supply Ability: 300/UNITS/MONTH



### **Product Specification**

Part Name: Electric Freight Car

COLOR: OPTIONAL
 SEATS: 2 PERSON
 BATTERY: 6V\*8PCS
 MOTOR: AC MOTOR

CHAGRER: 48V
 CHARGING TIME: 8-10H
 HS CODE: 8709119000



# 2 seats Electric Luggage Cart With Comfortable Chair AC motor 5KW for Hotel

H S C C	8709119000
2 2	
y 2 )' 3	
A S	1 units
s e m	
e n l e l) Q y 4 l' G e	
4 )' G	
3	2 units
s m ol e d)	
(k	pecifications
_	erformance:
5	
3 8 9	
g er c	2 seats
a ci y	25 km/h
i (. 3	25 km/h
ן 1 1	70km
e( o a d	70km
a d d	

_		
i n b n g A b li v lo a d e d	20% 3	
k n g c a n	ı i i≤4.5m t	
ir. un n g F a d u s	5m	
е		
L × V	V4080*1560*2010mm	
n	i t 1960mm	
c e C u b V e 9 h 9 5 0	r V i 950kg	

a k o sook g d d d d d d d d d d d d d d d d d d	M	
May   SkW   AC motor   Act	a x. lo a di n	900 kg
May   SkW   AC motor   Act	S	andard Configurations
the free-maintenance Batteries 6V/170Ah'8 pcs    Free-maintenance Batteries 6V/170Ah'8 pcs   High strength composite body (PT+PBT alloy injection molding hood), with super anti-collision function.   Pu car seat, in line with the principle of ergonomics, the driving position can be adjusted   Pu car seat, in line with the principle of ergonomics, the driving position can be adjusted   Pu car seat, in line with the principle of ergonomics, the driving position can be adjusted   Pu car seat, in line with the principle of ergonomics, the driving position can be adjusted   Pu car seat, in line with the principle of ergonomics, the driving position can be adjusted   Pu car seat, in line with the principle of ergonomics, the driving position can be adjusted   Pu car seat, in line with the principle of ergonomics, the driving position can be adjusted   Pu car seat, in line with the principle of ergonomics, the driving position can be adjusted   Pu car seat, in line with the principle of ergonomics, the driving position can be adjusted   Pu car seat, in line with the principle of ergonomics, the driving position can be adjusted   Pu car seat, in line with the principle of ergonomics, the driving position can be adjusted   Pu car seat, in line with the principle of ergonomics, the driving position can be adjusted position can be adjus	01 01	48V/5KW AC motor
at Free-maintenance Batteries 6V/170Ah*8 pcs  High strength composite body (PT+PBT alloy injection molding hood), with super anti-collision function.  PU car seat, in line with the principle of ergonomics, the driving position can be adjusted  PU car seat, in line with the principle of ergonomics, the driving position can be adjusted  PU car seat, in line with the principle of ergonomics, the driving position can be adjusted  PU car seat, in line with the principle of ergonomics, the driving position can be adjusted  PU car seat, in line with the principle of ergonomics, the driving position can be adjusted  PU car seat, in line with the principle of ergonomics, the driving position can be adjusted  PU car seat, in line with the principle of ergonomics, the driving position can be adjusted  PU car seat, in line with the principle of ergonomics, the driving position can be adjusted  PU car seat, in line with the principle of ergonomics, the driving position can be adjusted  PU car seat, in line with the principle of ergonomics, the driving position can be adjusted  PU car seat, in line with the principle of ergonomics, the driving position can be adjusted  PU car seat, in line with the principle of ergonomics, the driving position can be adjusted  PU car seat, in line with the principle of ergonomics, the driving position can be adjusted  PU car seat, in line with the principle of ergonomics, the driving position can be adjusted as a position can be adj	o ni rc	
R e ar vi e e ar vi z z z z z z s w m ir ir or  Ti i r e v v acuum meridian tire 165/70R13, steel rim with rim cover.  C h a High strength steel structure frame longitudinal beam chassis, electrophoretic s + spray powder anti-rust treatment. si si Si s Si e r Gear rack steering + electric steering assist system. in g Fr o nt S u Front McPherson independent suspension, spiral spring + cylinder hydraulic shock absorber.  R e ar s l lntegrated rear axle, steel spring + cylinder hydraulic shock absorber.  Integrated rear axle, steel spring + cylinder hydraulic shock absorber.	at te	Free-maintenance Batteries 6V/170Ah*8 pcs
R e ar vi e e ar vi z z z z z z s w m ir ir or  Ti i r e v v acuum meridian tire 165/70R13, steel rim with rim cover.  C h a High strength steel structure frame longitudinal beam chassis, electrophoretic s + spray powder anti-rust treatment. si si Si s Si e r Gear rack steering + electric steering assist system. in g Fr o nt S u Front McPherson independent suspension, spiral spring + cylinder hydraulic shock absorber.  R e ar s Integrated rear axle, steel spring + cylinder hydraulic shock absorber.  Integrated rear axle, steel spring + cylinder hydraulic shock absorber.	B o d y	High strength composite body (PT+PBT alloy injection molding hood), with super anti-collision function.
e ar ar vi 2 ppcs with minimity of the control of t		PU car seat, in line with the principle of ergonomics, the driving position can be adjusted
re Vacuum meridian tire 165/70R13, steel rim with rim cover.  C	e ai vi e w m iri	2pcs
h a High strength steel structure frame longitudinal beam chassis, electrophoretic s + spray powder anti-rust treatment. si s   St   e   er   Gear rack steering + electric steering assist system.     Front McPherson independent suspension, spiral spring + cylinder hydraulic shock absorber.     Front McPherson independent suspension, spiral spring + cylinder hydraulic shock absorber.       R   e   ar   s   u   s   lintegrated rear axle, steel spring + cylinder hydraulic shock absorber.	re	Vacuum meridian tire 165/70R13, steel rim with rim cover.
e er Gear rack steering + electric steering assist system.  in g  Fr o nt S u S p Front McPherson independent suspension, spiral spring + cylinder hydraulic shock absorber.  e n si o n R e ar s u Integrated rear axle, steel spring + cylinder hydraulic shock absorber.	h a	High strength steel structure frame longitudinal beam chassis, electrophoretic
ont S u s Front McPherson independent suspension, spiral spring + cylinder hydraulic shock absorber.  Front McPherson independent suspension, spiral spring + cylinder hydraulic shock absorber.  R e ar s u s lintegrated rear axle, steel spring + cylinder hydraulic shock absorber.  Integrated rear axle, steel spring + cylinder hydraulic shock absorber.	e ei in	Gear rack steering + electric steering assist system.
e ar s u s u Integrated rear axle, steel spring + cylinder hydraulic shock absorber. e n si	o ni S u s p e n si o	Front McPherson independent suspension, spiral spring + cylinder hydraulic shock absorber.
n	e ai s u s p e n si o	

B ra k e The front disc hydraulic double circuit brake + handbrake parking, with vacuum assisted brake system. The front disc hydraulic double circuit brake + handbrake parking, with vacuum assisted brake system. The front disc hydraulic double circuit brake + handbrake parking, with vacuum assisted brake system. The front disc hydraulic pressure lift brake + handbrake parking, with vacuum assisted brake system. The front disc hydraulic pressure lift brake + handbrake parking, with vacuum assisted brake system. The front disc hydraulic pressure lift brake + handbrake parking, with vacuum assisted brake system. The front disc hydraulic pressure lift brake + handbrake parking, with vacuum assisted brake system. The front disc hydraulic pressure lift brake + handbrake parking, with vacuum assisted brake system.

#### PHOTO:





## Application:

\* Golf Course, Hotel, Campus, Park, Airport, Tourist Resorts, Museum, Mountain Area, Wedding Place and so on.

### FAQ:

- What's your warranty time?
   All Langjie golf cart sold by us are quality guaranteed.
   We provide 1 year warranty for main parts to our electric vehicles when you get them.
- 2. What's the production time? Normally for 30 working days
- 3. What's your payment term? T/T 30% deposit and balance paid before shipment.
- 4.Can we also purchase the parts
- 5. How do you provide after-sales once customer bought the cart from us?

Yes, if you do maintainess service, you can also buy parts from us. We are the profeesional for the aftersales,

5. How do you provide after-sales once customer bought the cart from us?
Once you purchase the cart from us, then i will provide you manual to learn it and tell you how to fix it.

