

Guangzhou China

LANGJIE

FHC2+2

Negotiable

Carton Packing

10~15days working day

CE

T/T

Club Car Precedent Golf Cart 4 Seats AC Motor Electric Tour Bus For Park

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 10PCS
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:



Product Specification

- Part Name:
- Recharge Time:
- Power Motor:
- Use Place:
- Battery Type:
- Controller:
- Used For:
- Rear View Mirror:
- Motor Power:
- Highlight:
- 8~10h 5 KW Hotel Lead-Acid 48V City Tourist Car 2pcs

Electric Golf Car

- 5 KW
- 4 Seats Electric Tour Bus



Club Car Precedent Golf Cart 4 Seats AC Motor Electric Tour Bus For Park

Model FHC2+2 Electric golf car 4 seats

Specifications :

HS CODE	8703101900
Qty/20'GP (Disassembled)	7 unit
Qty/40'GP (Disassembled)	18 units

Performance:

Passenger capacity	4 seats
Max.Speed	40km/h
Range(loaded)	80km
Climbing Ability(loaded)	30%
Braking Distance	<3.5m
Min.Turning Radius	4m
Min.Clearance	182mm
Recharge time	8~10h

Dimensions:

L×W×H	2990×1350×2175mm
F/R Tread	958/959mm
Axle Distance	1470mm
Curb Weight	575kg
Max. loading	340kg

Standard Configurations:

Motor	48V/5KW AC motor
Controller	48Vcontroller
Battery	battery 8V*6PCS
Body & Roof	The front cover, seat bucket, body and rear bumper cover parts are injection molded with engineering PP special materials for aging resistance and ultraviolet protection+Grsted black square pipe frame + PP material injection molding roof
Windshield	Foldable windshield
Seats	PU leather + special sponge modeling sofa
Rear view mirror	2pcs
Bumper	Front Bumper
Tire	14-inch aluminum alloy wheels + 14-inch off-road tires
Chassis	Q235 high-strength sheet metal profile welding, electrophoresis + anti-rust spraying
Steering	Power-Assisted Steering
Front Suspension	McPherson independent front suspension + spiral spring + damped hydraulic shock absorber.
Rear suspension	Integral rear axle, speed ratio 16:1 spiral spring shock absorber + damping hydraulic shock absorber + rear stabilizer bar
Sound system	Speaker
Brake system	220 large size hydraulic drum brake rear axle: four wheel hydraulic brake, front disc rear drum + foot parking
Charger	Output:48V, Input AC 220V/50HZ 60HZ
Dashboard	Injection molding instrument panel, ignition switch, direction selection switch, high beam switch, horn headlight combination switch, water cup holder; USB + Type-c charging / double USB charging.
Color Option	White, Grey, Navy, Red, Khaki, Purple, Green etc.

Product Showing:



Application:

* Golf Course,Hotel,Campus,Park,Airport,Tourist Resorts,Museum,Mountain Area,Wedding Place and so on.

1. Noble and luxury appearance, the design concept of golf cart and traditional technology.

2. Electric power steering system, Suspension system good comfort.

3. High efficiency AC(Alternating Current) motor

FAQ:

1. What's your warranty time?

All Langking golf cart sold by us are quality guaranteed.

We provide 1 year warranty for main parts to our electric vehicles when you get them.

2. What's the production time? Normally for 30 working days.

3. What's your payment term? T/T 30% deposit and balance paid before shipment.

4.Can we also purchase the parts Yes,if you do maintainess service,you can also buy parts from us.We are the profeesional for the aftersales,

5. How do you provide after-sales once customer bought the cart from us?Once you purchase the cart from us, then i will provide you manual to learn it and tell you how to fix it.

6.What is your MOQ? You can order MOQ 1 unit .

7.Can we put the Logo we designed on the cart?

Yes, you can put your own Logo on the cart.

8. How do you make our business long-term and good relationship?

1. We keep good quality and competitive price to ensure our customers benefit ;

2. We respect every customer as our friend and we sincerely do business and make friends with them, no matter where they come from

9.Dealer: If you can do 100-200pcs in a year, then the next year, we will sign exclusive dealer with you and prosime never sold to your dealer area.

